

UNITED ST/ IS DEPARTMENT OF COMMERCE Patent and Trademark Office

Address: COMMISSIONER OF PATENTS AND TRADEMARKS

Washington, D.C. 20231

APPLICATION NO. FILING DATE FIRST NAMED INVENTOR ATTORNEY DOCKET NO 08/989,352 12/12/97 STEPHEN B. М 1147-97 EXAMINER IM22/0909 CHARLES N QUINN COOLEY, C DANN DORFMAN HERRELL AND SKILLMAN P C **ART UNIT** PAPER NUMBER SUITE 720 1601 MARKET STREET 1723 PHILADEPHIA PA 19103 DATE MAILED:

Please find below and/or attached an Office communication concerning this application or proceeding.

Commissioner of Patents and Trademarks

09/09/99

BEST AVAILABLE COPY

Office Action Summary

Application No. 08/989,352

App_ant(s)

Maguire

Examiner

Charles E. Cooley

Group Art Unit 1723

Responsive to communication(s) filed on	·
☐ This action is FINAL .	
☐ Since this application is in condition for allowance except f in accordance with the practice under <i>Ex parte Quayle</i> , 19	for formal matters, prosecution as to the merits is closed 35 C.D. 11; 453 O.G. 213.
A shortened statutory period for response to this action is set is longer, from the mailing date of this communication. Failur application to become abandoned. (35 U.S.C. § 133). Exten 37 CFR 1.136(a).	e to respond within the period for response will cause the
Disposition of Claims	
	is/are pending in the application.
Of the above, claim(s)	is/are withdrawn from consideration.
Claim(s)	is/are allowed.
Claim(s)	is/are rejected.
Claim(s)	is/are objected to.
	are subject to restriction or election requirement.
Application Papers See the attached Notice of Draftsperson's Patent Drawley. The drawing(s) filed on	is _approved _disapproved. y under 35 U.S.C. § 119(a)-(d). of the priority documents have been
☐ received in Application No. (Series Code/Serial N	
received in this national stage application from th *Certified copies not received:	
☐ Acknowledgement is made of a claim for domestic priority under 35 U.S.C. § 119(e).	
Attachment(s) Notice of References Cited, PTO-892 Information Disclosure Statement(s), PTO-1449, Paper Interview Summary, PTO-413 Notice of Draftsperson's Patent Drawing Review, PTO-152	,
SEE OFFICE ACTION ON THE FOLLOWING PAGES	

Application/Control Number: 08/989,352

Art Unit: 1723

OFFICE ACTION

This application has been reassigned to Technology Center 1700, Art Unit 1723 1. and the following changes will apply for this application:

- a. Please direct all written correspondence for this application to Art Unit 1723. The examiner can be reached at telephone number (703) 308-0112.
- b. Telephone inquiries regarding this application should be directed to the Technology Center 1700 receptionist at (703) 308-0651 or to the Examiner at (703) 308-0112.

Election/Restriction

- 2. Restriction to one of the following inventions is required under 35 U.S.C. 121:
 - I. Claims 1-53, drawn to a gravimetric blender, classified in class 366, subclass 141.
 - Claims 54-58, drawn to a valve, classified in class 251, subclass to be 11. determined.
- The inventions are distinct, each from the other because of the following 3. reasons:
- 4. Inventions I and II are related as combination and subcombination. Inventions in this relationship are distinct if it can be shown that (1) the combination as claimed does not require the particulars of the subcombination as claimed for patentability, and (2)

Application/Control Number: 08/989,352

Art Unit: 1723

that the subcombination has utility by itself or in other combinations (MPEP § 806.05(c)). In the instant case, the combination as claimed does not require the particulars of the subcombination as claimed because the particulars of the valve are not recited in the combination. The subcombination has separate utility such as its use without a weigh bin or mix chamber.

- Because these inventions are distinct for the reasons given above and have 5. acquired a separate status in the art as shown by their different classification and because the search required for each Group is a divergent search, restriction for examination purposes as indicated is proper.
- Upon election of Group II, the following election of species requirement will 6. apply:
- This application contains claims directed to the following patentably distinct 7. species of the valve of the claimed invention:

Species A: Figures 4, 5, 7, and 9; and

Species B: Figures 6 and 8.

Applicant is required under 35 U.S.C. 121 to elect a single disclosed species for 8. prosecution on the merits to which the claims shall be restricted if no generic claim is finally held to be allowable. Currently, no claim appears to be generic.

Applicant is advised that a reply to this requirement must include an identification of the species that is elected consonant with this requirement, and a Application/Control Number: 08/989,352

Art Unit: 1723

listing of all claims readable thereon, including any claims subsequently added. An argument that a claim is allowable or that all claims are generic is considered nonresponsive unless accompanied by an election.

Upon the allowance of a generic claim, applicant will be entitled to consideration of claims to additional species which are written in dependent form or otherwise include all the limitations of an allowed generic claim as provided by 37 CFR 1.141. If claims are added after the election, applicant must indicate which are readable upon the elected species. MPEP § 809.02(a).

Should applicant traverse on the ground that the species are not patentably distinct, applicant should submit evidence or identify such evidence now of record showing the species to be obvious variants or clearly admit on the record that this is the case. In either instance, if the examiner finds one of the inventions unpatentable over the prior art, the evidence or admission may be used in a rejection under 35 U.S.C. 103(a) of the other invention.

- 9. Applicant is advised that the reply to this requirement to be complete must include an election of the invention to be examined even though the requirement be traversed (37 CFR 1.143).
- Any inquiry concerning this communication or earlier communications from the examiner should be directed to Examiner Charles Cooley whose telephone number is **☎** (703) 308-0112.

Application/Control Number: 08/989,352 Page 5

Art Unit: 1723

11. Any inquiry of a general nature or relating to the status of this application should be directed to the Technology Center 1700 receptionist whose telephone number is **a** (703) 308-0651.

Respectfully submitted,

Dated: 8 September 1999

Charles Cooley
Primary Examiner
Art Unit 1723